

Forward mortality rates

Actuarial Research Conference

15 July 2014

Andrew Hunt

andrew.hunt.1@cass.city.ac.uk

Agenda

- Why forward mortality rates?
- Defining forward mortality rates
- Market consistent measure
- Risk assessment
- Discussion

Why forward mortality rates?

- Valuing technical provisions and pricing longevity-linked securities requires consistent expectations of future mortality rates
 - C.f. forward interest rates embedded in yield curve for bond pricing
- Other approaches to forward mortality rates
 - Continuous time – Bauer et al (2008,2012)
 - Non-parametric – Zhu and Bauer (2011a,b,2014)
 - Olivier-Smith model – Olivier and Jeffrey (2004), Smith (2005)

Defining forward mortality rates

- Hypothetical market in “longevity zeros” with price

$$\text{Price}(t, \tau) = B(\tau, \tau + t) \mathbb{E}_{\tau} {}_t p_{x, \tau}$$

- Define

$$\begin{aligned} {}_t P_{x, \tau}(\tau) &= \mathbb{E}_{\tau} {}_t p_{x, \tau} \\ &= \mathbb{E}_{\tau} \exp \left(- \sum_{u=0}^{t-1} \mu_{x+u, \tau+u} \right) \end{aligned}$$

- Forward mortality rates in discrete time

$$\nu_{x, t}(\tau) = - \ln \left(\frac{{}_{t-\tau+1} P_{x-t+\tau, \tau}(\tau)}{{}_{t-\tau} P_{x-t+\tau, \tau}(\tau)} \right)$$

$${}_t P_{x, \tau}(\tau) = \exp \left(- \sum_{u=0}^{t-1} \nu_{x+u, \tau+u}(\tau) \right)$$

Defining forward mortality rates

- We identify $\nu_{x,t}(\tau) = \mathbb{E}_\tau \mu_{x,t}$
 - Approximation due to Jensen's inequality but tested numerically and reasonable (within 0.1%) across most ages and years
- Assume that short mortality rates are modelled by an age/period/cohort mortality model – Hunt and Blake (2014d)

$$\ln(\mu_{x,t}) = \eta_{x,t} = \alpha_x + \beta_x^\top \kappa_t + \gamma_{t-x}$$

- Then

$$\nu_{x,t}(\tau) = \exp \left(\alpha_x + \beta_x^\top \mathbb{E}_\tau \kappa_t + \frac{1}{2} \beta_x^\top \text{Var}_\tau(\kappa_t) \beta_x + \mathbb{E}_\tau \gamma_{t-x} + \frac{1}{2} \text{Var}_\tau(\gamma_{t-x}) \right)$$

Defining forward mortality rates

- Assume random walk with drifts for the period functions

$$\kappa_t = \mu X_t + \kappa_{t-1} + \epsilon_t$$


- Deterministic functions may be included in drift, X_t , for identifiability reasons – Hunt and Blake (2014b,c)
- Therefore

$$\mathbb{E}_\tau \kappa_t = \kappa_\tau + \mu \sum_{s=\tau+1}^t X_s$$

$$\text{Var}_\tau(\kappa_t) = (t - \tau)\Sigma$$

Defining forward mortality rates

- Use Bayesian approach to model and project the cohort parameters



- Fitted parameter estimates based on partial information
- Assume annual observations of each cohort providing new information
- Cohort parameter only known with certainty once observed over its entire life

Defining forward mortality rates


- Details get quite involved – see Hunt and Blake (2014a)

$$\mathbb{E}_\tau \gamma_y = M(y, \tau) = \sum_{s=0}^{\infty} \left[\prod_{r=0}^{s-1} (1 - D_{\tau-y+r}) \right] \rho^s \left[\gamma_{y-s}(\tau) + (1 - D_{\tau-y+s}) \beta (Y_{y-s} - \rho Y_{y-s-1}) \right]$$
$$\text{Var}_\tau(\gamma_y) \equiv V(y, \tau) = \sum_{s=0}^{\infty} \left[\prod_{r=0}^{s-1} (1 - D_{t-y+r})^2 \right] (1 - D_{t-y+s}) \rho^{2s} \sigma^2$$

- However, this approach is necessary for measuring risk, as discussed later

Defining forward mortality rates

- Together, these give the forward mortality surface
 - Difference $< 0.1\%$, due to rounding errors in simulations



Market consistent measure

- In order to value liabilities or value securities, we need to convert the forward mortality surface from the historic to a market consistent measure
- Use Esscher transform, see Gerber and Shiu (1994)

$$\mathbb{E}^{\mathbb{Q}} \exp(\eta) = \frac{\mathbb{E}^{\mathbb{P}} \exp(Z\eta)}{\mathbb{E}^{\mathbb{P}} \exp(Z)}$$


$$Z_{x,t} = \beta_x^{\top} \Lambda \kappa_t + \lambda^{\gamma} \gamma_{t-x}$$

$$\Lambda = \begin{pmatrix} \lambda^{(1)} & \dots & 0 \\ \vdots & \ddots & \vdots \\ 0 & \dots & \lambda^{(N)} \end{pmatrix}$$

$$\nu_{x,t}^{\mathbb{Q}}(\tau) = \exp \left(\beta_x^{\top} \Lambda \text{Var}_{\tau}^{\mathbb{P}}(\kappa_t) \beta_x + \lambda^{\gamma} \text{Var}_{\tau}^{\mathbb{P}}(\gamma_{t-x}) \right) \nu_{x,t}^{\mathbb{P}}(\tau)$$


Market consistent measure

- Values of market prices of longevity risk, $\lambda^{(j)}$ found from:
 - prices of traded longevity securities (if they exist) or
 - deterministic projection of mortality (e.g., CMI Projection Model)



Market consistent measure

- Consistent prices for liabilities and securities can now be found using same forward mortality surface



Risk assessment

- For many purposes, we need to know how the forward mortality surface updates
 - E.g., Value at Risk, hedging
- This depends upon how the period and cohort functions update with one year's extra observations
- NB – by tower property of conditional expectations, have


$$\nu_{x,t}(\tau) = \mathbb{E}_{\tau} \nu_{x,t}(\tau + 1)$$

- Period functions are straightforward

$$\begin{aligned}\mathbb{E}_{\tau+1} \kappa_t &= \mathbb{E}_{\tau} \kappa_t + \epsilon_{\tau+1} \\ \text{Var}_{\tau+1}(\kappa_t) &= (t - \tau - 1)\Sigma\end{aligned}$$

Risk assessment

- Cohort functions, need to use Bayesian approach and assumed data generating process



$$\underline{\gamma}_y(\tau + 1) = \underline{\gamma}_y(\tau) + d_{\tau+1-y} \gamma_y^{\tau+1-y}$$



$$\gamma_y^{\tau+1-y} | \mathcal{F}_{\tau,y}, \beta, \rho, \sigma^2 \sim$$

$$N \left(\beta Y_y + \rho(M(y-1, \tau) - \beta Y_{y-1}), \right.$$

$$\left. V(y-1, \tau) + \frac{\sigma^2}{d_{\tau+1-y}} \right)$$


Risk assessment

- Using this framework, we can update the forward mortality surface by one year and recalculate liability values or securities prices
 - Value at Risk



Risk assessment

- Solvency II SCR is the 99.5% VaR of the technical provisions
- Therefore, forward rate model can calculate SCR by repeated updates of forward mortality surface
 - Avoids nested sims for SCR
- Compare with Solvency II standard model - 20% shock to mortality to proxy for VaR
 - C.f., Börger (2010)



Risk assessment

$$\text{Risk Margin} = CoC \times \sum_{s=0}^{\infty} SCR(s)(1 + r_s)^{-s}$$

- Calculation of risk margin suffers from calculation problems
- Short rate approach:
 - Needs simulations (to give liabilities at $s+1$) within simulations (to give VaR at s) within simulations (to model the run off of liabilities to s)
- Forward mortality rate approach
 - Needs simulations (to give VaR at s) within simulations (to model the run off of liabilities to s)
 - Progress, but not the complete answer


Risk assessment

- EIOPA (2014) suggests projecting deterministically to time t to avoid nested simulations
 - May distort estimation of VaR, especially in tails
- We propose alternative approach based on limited number of model points

Algorithm 1 Approximate estimation of the risk margin


- 1: Perform N simulations to obtain empirical distribution of $\mathcal{L}(\tau + 1)$ for estimation of $SCR(\tau)$;
- 2: Select p sets of latent variables $\{\kappa_{\tau+1}, \gamma_{\tau+1-x}\}$ corresponding to p model points in the distribution of $\mathcal{L}(\tau + 1)$;
- 3: Perform N simulations for each model point to obtain p empirical distributions of $\mathcal{L}(\tau + 2) | \mathcal{L}(\tau + 1) = \mathcal{L}^{(i)}(\tau + 1)$;
- 4: Calculate $SCR^{(i)}(\tau + 1)$ for each model point, and $SCR(\tau + 1) = \sum_{i=1}^p w_i SCR^{(i)}(\tau + 1)$ where w_i are a set of weights based on the relative probability of model point i ;
- 5: Repeat steps 2 and 3 for each future year until the liabilities have run off;
- 6: Calculate the risk margin using $CoC \times \sum_{s=0}^{\infty} SCR(s)(1 + r_s)^{-s}$

Risk assessment



- Fix $p \times N = 10,000$
 - Trade off between high p (distribution at each time) and high N (robust estimate of 99.5% VaR)

Risk assessment



- Generally, low p means lower uncertainty in estimate, but biased SCR
- If $p=10$, $SCR(0) = 5.4\%$ and Risk Margin = 4.0% of best estimate of liability value.

Discussion

- Forward mortality rates provide a useful framework for many of the issues with the valuation / risk management of longevity risk
- We have introduced a discrete time forward mortality rate framework which:
 - Is consistent with models of the short mortality rate
 - Can be calibrated easily to available data
 - Can be used with a variety of individual short rate models
 - Can be extended for different processes governing period and (more difficult) cohort functions

Selected References

- Bauer, D., Benth, F. E., Kiesel, R., 2012. Modeling the forward surface of mortality. *SIAM Journal on Financial Mathematics* 3 (1), 639–666.
- Bauer, D., Börger, M., Ruß, J., Zwiesler, H., 2008. The volatility of mortality. *Asia-Pacific Journal of Risk and Insurance* 3 (1), 10.
- Börger, M., 2010. Deterministic shock vs. stochastic value-at-risk - an analysis of the Solvency II standard model approach to longevity risk. *Blätter der DGVM* 31 (2), 225–259.
- EIPOA, 2014. Technical Specification for the Preparatory Phase (Part I).
- Gerber, H., Shiu, E., 1994. Option pricing by Esscher transforms. *Transactions of the Society of Actuaries* 46, 99–191.
- Hunt, A., Blake, D., 2014a. Consistent mortality projections allowing for trend changes and cohort effects. *Work in Progress*.
- Hunt, A., Blake, D., 2014b. Identifiability in age/period mortality models. *Work in Progress*.
- Hunt, A., Blake, D., 2014c. Identifiability in age/period/cohort mortality models. *Work in Progress*.
- Hunt, A., Blake, D., 2014d. On the structure and classification of mortality models. *Work in Progress*.
- Olivier, P., Jeffrey, T., 2004. Stochastic mortality models. URL http://www.icms.org.uk/archive/meetings/2005/quant%20finance/sci_prog.html
- Norberg, R., 2010. Forward mortality and other vital rates - Are they the way forward? *Insurance: Mathematics and Economics* 47, 105–112.
- Smith, A., 2005. Stochastic mortality modelling. URL http://www.actuaries.ie/Events%20and%20Papers/Events%202004/2004-06-01_PensionerMortality/2004-10-20_Stochastic%20MortalityModelling/2004-10-20
- Zhu, N., Bauer, D., 2011a. Applications of forward mortality factor models in life insurance practice. *Geneva Papers on Risk and Insurance* 36, 567–594.
- Zhu, N., Bauer, D., 2011b. Coherent modeling of the risk in mortality projections: A semi parametric approach. Tech. Rep. 678, Georgia State University.
- Zhu, N., Bauer, D., 2014. A cautionary note on natural hedging of longevity risk. *North American Actuarial Journal* 18 (1), 104–115.

Questions?


- Thank you very much for your attention and your feedback

Addendum


	$\lambda^{(1)}$	$\lambda^{(2)}$	$\lambda^{(3)}$	$\lambda^{(v)}$
LC	-41.9			
CBDX	-0.5	-32.6		
APC	-11.2			298.1
RP	-14.0	19.0		685.5
GP	-23.9	20.1	-156.5	165.8

- Market prices of risk are dimensionless and not directly comparable across models

Addendum



Addendum



Addendum

- We can also look at hedging strategies for the liabilities based on longevity linked securities

